


# OTTIE

## RESIDENTIAL WATER FILTRATION SYSTEM



*Manufactured Exclusively*

By: **Morrill**  
INDUSTRIES, INC.

For Sales and More Information Contact Your Local Dealer

# Overview of the Otter Residential Water Filtration System


The Otter Residential Water Filter is an inline water filter designed for homeowners who depend on well water for their water supply source.

The Otter Filter utilizes a fine mesh Stainless Steel (SST) screen to filter out contaminants such as sand, rust, dirt, and scale prior to entering your water supply system.


This protects your water supply from contaminants that can damage your appliances, faucets, tubs, showers, and outside watering systems such as sprinklers, drip emitters, and misters.

The Otter Filter is designed for easy installation and maintenance. The industrial strength, stainless steel construction is superior to the cheaper plastic filters which wear out, crack, and are troublesome and costly to replace.

## Typical Otter Filter Installation with a Rural Residential Well Before a Pressure Tank



## Typical Otter Filter Installation with a Rural Residential Well After a Pressure Tank



## Materials of Construction

### Body:

- Constructed of 304/304L SST Pipe meeting ASTM A312 specs.
- Threaded Female Outlets are 304 SST with threads conforming to ANSI B1. 20.1.
- All Standard Gaskets are EPDM.
- Cross Bolt Lid Connection (Ductile Iron).
- 304 Stainless Steel Lid & Tee Handle.

### Screen:

- Perforated Screen Backing is 304 Stainless Steel.
- Wire Mesh is 316 Stainless Steel.
- Otter Filter Screens are offered with 60 mesh (233 micron) or 120 mesh (118 micron) sizes.

### Standard Fittings Supplied with Otter Filter:

- (One) -  $\frac{3}{4}$ " Forged Brass Ball Valve w/ PTFE Packing (non-lead).
- (One) -  $\frac{3}{4}$ " Brass Relief Valve with Stainless Steel Spring and Retaining Screw & Buna-N Sealing Disc (non-lead 75 PSI rating).
- (Two) -  $2\frac{1}{2}$ " Liquid Filled 0-100 PSI Pressure Gauge (Stainless Steel).
- (One) - 60 or 120 Mesh Filter Screen.

### Features:

- **Pressure Rating:** 100PSI.
- **Maximum Flow:** 80 GPM.
- **Screen Sizes:** 60 Mesh (233 Micron)  
120 Mesh (118 Micron)
- **Inlet Port Size:** 2" Female NPT.
- **Discharge Port:** 2" Female NPT.
- Meets California AB1953 (Lead Free).
- Designed for easy installation.
- Washable Filter Element.




| Otter Filter Assembly |                       |
|-----------------------|-----------------------|
| Part No.              | Description           |
| OF-80                 | Otter Filter Assembly |
| Filter Screens        |                       |
| Part No.              | Description           |
| OFS-60                | 60 Mesh Screen        |
| OF-120                | 120 Mesh Screen       |

**Note:** Dimensional Information on the Otter Filter is approximate. Some variation may occur.  
**Unit Weight:** 40 lbs.


Manufactured Exclusively

By: **Morrill**  
 INDUSTRIES, INC.

Top View



Left View



Front View



For Sales and More Information Contact Your Local Dealer:

Lakota Water Company

Toll Free: 877-652-5682

[www.lakotawatercompany.com](http://www.lakotawatercompany.com)

[main@lakotawatercompany.com](mailto:main@lakotawatercompany.com)